

Packet Expert Report

Hardware Ethernet Test Tool

ExpertSAM

Test Date : 10/17/14

Start Time : 18:36:36

End Time : -

Test Report : ExpertSAM

User Comments : TestReport

Interface

Port Selection : 2
 Interface IP Address : 192.168.1.22
 Interface Type : Electrical
 Auto-Negotiation Status : Complete
 Speed : 1000 Mbps
 Duplex Mode : Full Duplex
 Flow Control : Enabled

Test Selection

CIR Configuration Test Type : StepLoadCIR
 EIR Configuration Test : Disabled
 Traffic Policing Test : Disabled
 Service Configuration Step Duration : 6
 Service Performance Test : Enabled
 Service Performance Test Duration : 15

Service Selection

Services : Service1
 Services : Service2
 Services : Service3
 Services : Service4
 Services : Service5
 Services : Service6
 Services : Service7
 Services : Service8
 Services : Service9
 Services : Service10
 Services : Service11
 Services : Service12

Service Selection

Service Count : 12

Service1 Configuration Results

Test	Verdict	IR(Min)	IR(Mean)	IR(Max)	FL(Count)	FLR rate	FTD(Min)	FTD(Mean)	FTD(Max)	FDV(Min)	FDV(Mean)	FDV(Max)
Step1	PASS	2.485504	2.498272	2.502528	0	0	0.005880	0.005880	0.005880	0.000003	0.000004	0.000004
Step2	PASS	5.000800	5.000800	5.000800	0	0	0.005880	0.005882	0.005888	0.000003	0.000003	0.000004
Step3	PASS	7.490560	7.499072	7.503328	0	0	0.005872	0.005875	0.005880	0.000003	0.000004	0.000004
Step4	PASS	8.980160	8.996333	9.001440	0	0	0.005880	0.005880	0.005880	0.000003	0.000003	0.000003
CIR	PASS	9.984576	9.997344	10.001600	0	0	0.005880	0.005881	0.005888	0.000004	0.000004	0.000004

Service2 Configuration Results

Test	Verdict	IR(Min)	IR(Mean)	IR(Max)	FL(Count)	FLR rate	FTD(Min)	FTD(Mean)	FTD(Max)	FDV(Min)	FDV(Mean)	FDV(Max)
Step1	PASS	2.498272	2.500826	2.502528	0	0	0.005872	0.005880	0.005888	0.000003	0.000003	0.000004
Step2	PASS	4.975264	4.995693	5.000800	0	0	0.005880	0.005883	0.005888	0.000003	0.000004	0.000004
Step3	PASS	7.499072	7.501200	7.503328	0	0	0.005872	0.005878	0.005880	0.000004	0.000004	0.000004
Step4	PASS	8.980160	8.997184	9.001440	0	0	0.005880	0.005880	0.005880	0.000003	0.000003	0.000003
CIR	PASS	9.997344	9.999472	10.001600	0	0	0.005872	0.005878	0.005880	0.000003	0.000004	0.000004

Service3 Configuration Results

Test	Verdict	IR(Min)	IR(Mean)	IR(Max)	FL(Count)	FLR rate	FTD(Min)	FTD(Mean)	FTD(Max)	FDV(Min)	FDV(Mean)	FDV(Max)
Step1	PASS	2.485504	2.498272	2.502528	0	0	0.005872	0.005878	0.005880	0.000003	0.000003	0.000004
Step2	PASS	5.000800	5.000800	5.000800	0	0	0.005880	0.005880	0.005880	0.000003	0.000004	0.000004
Step3	PASS	7.490560	7.499072	7.503328	0	0	0.005880	0.005880	0.005880	0.000004	0.000004	0.000004
Step4	PASS	8.997184	9.000376	9.001440	0	0	0.005880	0.005886	0.005888	0.000003	0.000003	0.000003
CIR	PASS	9.984576	9.997344	10.001600	0	0	0.005880	0.005880	0.005880	0.000003	0.000003	0.000004

Service4 Configuration Results

Test	Verdict	IR(Min)	IR(Mean)	IR(Max)	FL(Count)	FLR rate	FTD(Min)	FTD(Mean)	FTD(Max)	FDV(Min)	FDV(Mean)	FDV(Max)
Step1	PASS	2.485504	2.498272	2.502528	0	0	0.005880	0.005880	0.005880	0.000003	0.000003	0.000004
Step2	PASS	4.975264	4.995693	5.000800	0	0	0.005880	0.005880	0.005880	0.000003	0.000003	0.000004
Step3	PASS	7.490560	7.499072	7.503328	0	0	0.005880	0.005880	0.005880	0.000003	0.000003	0.000004
Step4	PASS	8.980160	8.996333	9.001440	0	0	0.005872	0.005877	0.005880	0.000003	0.000003	0.000003
CIR	PASS	9.984576	9.997344	10.001600	0	0	0.005872	0.005880	0.005888	0.000003	0.000003	0.000004

Service5 Configuration Results

Test	Verdict	IR(Min)	IR(Mean)	IR(Max)	FL(Count)	FLR rate	FTD(Min)	FTD(Mean)	FTD(Max)	FDV(Min)	FDV(Mean)	FDV(Max)
Step1	PASS	2.485504	2.498272	2.502528	0	0	0.005880	0.005880	0.005880	0.000003	0.000003	0.000004
Step2	PASS	4.975264	4.995693	5.000800	0	0	0.005872	0.005878	0.005880	0.000003	0.000003	0.000004
Step3	PASS	7.490560	7.499072	7.503328	0	0	0.005880	0.005880	0.005880	0.000003	0.000003	0.000004
Step4	PASS	8.980160	8.997184	9.001440	0	0	0.005872	0.005877	0.005880	0.000003	0.000003	0.000003
CIR	PASS	9.997344	9.999898	10.001600	0	0	0.005880	0.005880	0.005880	0.000003	0.000003	0.000004

Service6 Configuration Results

Test	Verdict	IR(Min)	IR(Mean)	IR(Max)	FL(Count)	FLR rate	FTD(Min)	FTD(Mean)	FTD(Max)	FDV(Min)	FDV(Mean)	FDV(Max)
Step1	PASS	2.485504	2.498272	2.502528	0	0	0.005872	0.005879	0.005880	0.000003	0.000003	0.000004
Step2	PASS	5.000800	5.000800	5.000800	0	0	0.005872	0.005878	0.005880	0.000003	0.000003	0.000003
Step3	PASS	7.490560	7.499072	7.503328	0	0	0.005872	0.005878	0.005888	0.000003	0.000003	0.000004
Step4	PASS	8.997184	9.000376	9.001440	0	0	0.005880	0.005882	0.005888	0.000003	0.000003	0.000003
CIR	PASS	9.984576	9.997344	10.001600	0	0	0.005880	0.005880	0.005880	0.000003	0.000003	0.000004

Service7 Configuration Results

Test	Verdict	IR(Min)	IR(Mean)	IR(Max)	FL(Count)	FLR rate	FTD(Min)	FTD(Mean)	FTD(Max)	FDV(Min)	FDV(Mean)	FDV(Max)
Step1	PASS	2.498272	2.501464	2.502528	0	0	0.005880	0.005880	0.005880	0.000003	0.000003	0.000003
Step2	PASS	4.975264	4.995693	5.000800	0	0	0.005880	0.005883	0.005888	0.000003	0.000003	0.000004
Step3	PASS	7.490560	7.499072	7.503328	0	0	0.005880	0.005880	0.005880	0.000003	0.000003	0.000003
Step4	PASS	8.980160	8.996333	9.001440	0	0	0.005872	0.005875	0.005880	0.000003	0.000003	0.000003
CIR	PASS	9.984576	9.997344	10.001600	0	0	0.005880	0.005880	0.005880	0.000003	0.000003	0.000004

Service8 Configuration Results

Test	Verdict	IR(Min)	IR(Mean)	IR(Max)	FL(Count)	FLR rate	FTD(Min)	FTD(Mean)	FTD(Max)	FDV(Min)	FDV(Mean)	FDV(Max)
Step1	PASS	2.485504	2.498272	2.502528	0	0	0.005880	0.005881	0.005888	0.000003	0.000003	0.000004
Step2	PASS	4.975264	4.995693	5.000800	0	0	0.005872	0.005878	0.005880	0.000003	0.000003	0.000004
Step3	PASS	7.490560	7.499072	7.503328	0	0	0.005872	0.005877	0.005880	0.000003	0.000004	0.000004
Step4	PASS	8.980160	8.997184	9.001440	0	0	0.005880	0.005880	0.005880	0.000003	0.000004	0.000004
CIR	PASS	9.997344	9.999898	10.001600	0	0	0.005872	0.005882	0.005888	0.000004	0.000004	0.000004

Service9 Configuration Results

Test	Verdict	IR(Min)	IR(Mean)	IR(Max)	FL(Count)	FLR rate	FTD(Min)	FTD(Mean)	FTD(Max)	FDV(Min)	FDV(Mean)	FDV(Max)
Step1	PASS	2.485504	2.498272	2.502528	0	0	0.005872	0.005880	0.005888	0.000003	0.000004	0.000004
Step2	PASS	5.000800	5.000800	5.000800	0	0	0.005880	0.005880	0.005880	0.000004	0.000004	0.000004
Step3	PASS	7.490560	7.499072	7.503328	0	0	0.005872	0.005877	0.005880	0.000004	0.000004	0.000005
Step4	PASS	8.997184	9.000589	9.001440	0	0	0.005872	0.005878	0.005880	0.000004	0.000004	0.000004
CIR	PASS	9.984576	9.997344	10.001600	0	0	0.005872	0.005877	0.005880	0.000004	0.000005	0.000005

Service10 Configuration Results

Test	Verdict	IR(Min)	IR(Mean)	IR(Max)	FL(Count)	FLR rate	FTD(Min)	FTD(Mean)	FTD(Max)	FDV(Min)	FDV(Mean)	FDV(Max)
Step1	PASS	2.498272	2.501464	2.502528	0	0	0.005872	0.005878	0.005880	0.000004	0.000004	0.000004
Step2	PASS	4.975264	4.995693	5.000800	0	0	0.005872	0.005878	0.005880	0.000004	0.000004	0.000004
Step3	PASS	7.490560	7.499072	7.503328	0	0	0.005872	0.005875	0.005880	0.000005	0.000005	0.000005
Step4	PASS	8.980160	8.997184	9.001440	0	0	0.005872	0.005875	0.005880	0.000004	0.000004	0.000004
CIR	PASS	9.984576	9.996493	10.001600	0	0	0.005872	0.005878	0.005880	0.000005	0.000005	0.000006

Service11 Configuration Results

Test	Verdict	IR(Min)	IR(Mean)	IR(Max)	FL(Count)	FLR rate	FTD(Min)	FTD(Mean)	FTD(Max)	FDV(Min)	FDV(Mean)	FDV(Max)
Step1	PASS	2.485504	2.498272	2.502528	0	0	0.005880	0.005880	0.005880	0.000004	0.000004	0.000004
Step2	PASS	4.975264	4.995693	5.000800	0	0	0.005872	0.005877	0.005880	0.000004	0.000004	0.000004
Step3	PASS	7.490560	7.499072	7.503328	0	0	0.005872	0.005877	0.005880	0.000005	0.000005	0.000005
Step4	PASS	8.980160	8.997184	9.001440	0	0	0.005880	0.005882	0.005888	0.000004	0.000004	0.000005
CIR	PASS	9.984576	9.997344	10.001600	0	0	0.005872	0.005880	0.005888	0.000005	0.000005	0.000005

Service12 Configuration Results

Test	Verdict	IR(Min)	IR(Mean)	IR(Max)	FL(Count)	FLR rate	FTD(Min)	FTD(Mean)	FTD(Max)	FDV(Min)	FDV(Mean)	FDV(Max)
Step1	PASS	2.485504	2.498272	2.502528	0	0	0.005872	0.005880	0.005888	0.000004	0.000004	0.000004
Step2	PASS	4.975264	4.995693	5.000800	0	0	0.005872	0.005877	0.005880	0.000004	0.000004	0.000004
Step3	PASS	7.490560	7.499072	7.503328	0	0	0.005872	0.005878	0.005888	0.000005	0.000005	0.000005
Step4	PASS	8.997184	9.000589	9.001440	0	0	0.005872	0.005878	0.005888	0.000004	0.000004	0.000005
CIR	--	9.984576	9.997344	10.001600	0	0	0.005872	0.005878	0.005880	0.000005	0.000005	0.000005

Service Performance Results

Test	Verdict	IR(Min)	IR(Mean)	IR(Max)	FL(Count)	FLR rate	FTD(Min)	FTD(Mean)	FTD(Max)	FDV(Min)	FDV(Mean)	FDV(Max)
1	--	9.997344	10.000181	10.001600	0	0	0.005880	0.005880	0.005880	0.000004	0.000004	0.000004
2	--	9.997344	10.000181	10.001600	0	0	0.005872	0.005879	0.005888	0.000003	0.000003	0.000004
3	--	9.997344	10.000181	10.001600	0	0	0.005872	0.005877	0.005888	0.000003	0.000003	0.000004
4	--	9.997344	10.000181	10.001600	0	0	0.005872	0.005877	0.005880	0.000003	0.000003	0.000004
5	--	9.997344	10.000181	10.001600	0	0	0.005872	0.005880	0.005888	0.000003	0.000003	0.000004
6	--	9.997344	10.000181	10.001600	0	0	0.005880	0.005883	0.005888	0.000003	0.000003	0.000004
7	--	9.997344	10.000181	10.001600	0	0	0.005880	0.005881	0.005888	0.000003	0.000003	0.000004
8	--	9.997344	10.000181	10.001600	0	0	0.005880	0.005880	0.005880	0.000003	0.000003	0.000004
9	--	9.997344	10.000181	10.001600	0	0	0.005880	0.005881	0.005888	0.000003	0.000003	0.000004
10	--	9.997344	10.000181	10.001600	0	0	0.005880	0.005881	0.005888	0.000003	0.000003	0.000004
11	--	9.997344	10.000181	10.001600	0	0	0.005880	0.005881	0.005888	0.000003	0.000003	0.000004
12	--	9.997344	10.000181	10.001600	0	0	0.005872	0.005879	0.005888	0.000004	0.000004	0.000004

Over All Status

Global Verdict : NOT_AVAILABLE

Service1 FRAME SIZE

Frame Size Type : Fixed
Frame Size : 512

Service1 MAC

Destination MAC Address : 00-21-c2-00-00-01
Source MAC Address : 00-21-c2-00-03-fd
Length /Type : 08-00

Service1 IP

Source IP Address : 192.168.1.101
Destination IP Address : 192.168.1.201
IPv4TOS/DS : 1
IPv4TTL : 128
IPv4Protocol : 17
IPv4Header Checksum : 1
IPv4Header Checksum Value : 00-00
IPv4Identification : 1
IPv4Identification Value : 00-00

Service1 PAY LOAD

Payload : 12-34

Service1 Colour Aware

Colour Aware Enabled : Disabled
Colour Method :
Green frames :
Yellow Frames :

Service2 FRAME SIZE

Frame Size Type : Fixed
Frame Size : 512

Service2 MAC

Destination MAC Address : 00-21-c2-00-00-02
Source MAC Address : 00-21-c2-00-03-fd
Length /Type : 08-00

Service2 IP

Source IP Address : 192.168.1.102
Destination IP Address : 192.168.1.202
IPv4TOS/DS : 0
IPv4TTL : 128
IPv4Protocol : 17
IPv4Header Checksum : 1
IPv4Header Checksum Value : 00-00
IPv4Identification : 1
IPv4Identification Value : 00-00

Service2 PAY LOAD

Payload : 12-34

Service2 Colour Aware

Colour Aware Enabled : Disabled
Colour Method :
Green frames :
Yellow Frames :

Service3 FRAME SIZE

Frame Size Type : Fixed
Frame Size : 512

Service3 MAC

Destination MAC Address : 00-21-c2-00-00-03
Source MAC Address : 00-21-c2-00-03-fd
Length /Type : 08-00

Service3 IP

Service1 LAYER

Layer : UDP

Service1 VLAN Tag

VLAN Enable : 0
C-Tag Type : 81-00
C-Tag ID : 0
C-Tag Priority : 0
S-Tag Type : 88-a8
S-Tag ID : 0
S-Tag Priority : 0

Service1 UDP

UDP Source Port : 10100
UDP Destination Port : 20100
UDP Checksum : 1
UDP Checksum Value : 00-00

Service1 BW Profile

CIR : 10.000000
EIR : 12.000000
Traffic Policing Rate : 15.000000

Service1 SAC Parameters

Frame Loss Ratio : 1.000000
Frame Transfer Delay : 5.000000
Frame Delay Variation : 5.000000

Service2 LAYER

Layer : UDP

Service2 VLAN Tag

VLAN Enable : 0
C-Tag Type : 81-00
C-Tag ID : 0
C-Tag Priority : 0
S-Tag Type : 88-a8
S-Tag ID : 0
S-Tag Priority : 0

Service2 UDP

UDP Source Port : 10200
UDP Destination Port : 20200
UDP Checksum : 1
UDP Checksum Value : 00-00

Service2 BW Profile

CIR : 10.000000
EIR : 12.000000
Traffic Policing Rate : 15.000000

Service2 SAC Parameters

Frame Loss Ratio : 1.000000
Frame Transfer Delay : 5.000000
Frame Delay Variation : 5.000000

Service3 LAYER

Layer : UDP

Service3 VLAN Tag

VLAN Enable : 0
C-Tag Type : 81-00
C-Tag ID : 0
C-Tag Priority : 0
S-Tag Type : 88-a8
S-Tag ID : 0
S-Tag Priority : 0

Service3 UDP

UDP Source Port : 10300
UDP Destination Port : 20300
UDP Checksum : 1
UDP Checksum Value : 00-00

Service3 BW Profile

Source IP Address : 192.168.1.103
 Destination IP Address : 192.168.1.203
 IPv4TOS/DS : 1
 IPv4TTL : 128
 IPv4Protocol : 17
 IPv4Header Checksum : 1
 IPv4Header Checksum Value : 00-00
 IPv4Identification : 1
 IPv4Identification Value : 00-00

Service3 PAY LOAD

Payload : 12-34

Service3 Colour Aware

Colour Aware Enabled : Disabled
 Colour Method :
 Green frames :
 Yellow Frames :

Service4 FRAME SIZE

Frame Size Type : Fixed
 Frame Size : 512

Service4 MAC

Destination MAC Address : 00-21-c2-00-00-04
 Source MAC Address : 00-21-c2-00-03-fd
 Length /Type : 08-00

Service4 IP

Source IP Address : 192.168.1.104
 Destination IP Address : 192.168.1.204
 IPv4TOS/DS : 2
 IPv4TTL : 128
 IPv4Protocol : 17
 IPv4Header Checksum : 1
 IPv4Header Checksum Value : 00-00
 IPv4Identification : 1
 IPv4Identification Value : 00-00

Service4 PAY LOAD

Payload : 12-34

Service4 Colour Aware

Colour Aware Enabled : Disabled
 Colour Method :
 Green frames :
 Yellow Frames :

Service5 FRAME SIZE

Frame Size Type : Fixed
 Frame Size : 512

Service5 MAC

Destination MAC Address : 00-21-c2-00-00-05
 Source MAC Address : 00-21-c2-00-03-fd
 Length /Type : 08-00

Service5 IP

Source IP Address : 192.168.1.105
 Destination IP Address : 192.168.1.205
 IPv4TOS/DS : 5
 IPv4TTL : 128
 IPv4Protocol : 17
 IPv4Header Checksum : 1
 IPv4Header Checksum Value : 00-00
 IPv4Identification : 1
 IPv4Identification Value : 00-00

Service5 PAY LOAD

Payload : 12-34

Service5 Colour Aware

CIR : 10.000000
 EIR : 12.000000
 Traffic Policing Rate : 15.000000

Service3 SAC Parameters

Frame Loss Ratio : 1.000000
 Frame Transfer Delay : 5.000000
 Frame Delay Variation : 5.000000

Service4 LAYER

Layer : UDP

Service4 VLAN Tag

VLAN Enable : 0
 C-Tag Type : 81-00
 C-Tag ID : 0
 C-Tag Priority : 0
 S-Tag Type : 88-a8
 S-Tag ID : 0
 S-Tag Priority : 0

Service4 UDP

UDP Source Port : 10400
 UDP Destination Port : 20400
 UDP Checksum : 1
 UDP Checksum Value : 00-00

Service4 BW Profile

CIR : 10.000000
 EIR : 12.000000
 Traffic Policing Rate : 15.000000

Service4 SAC Parameters

Frame Loss Ratio : 1.000000
 Frame Transfer Delay : 5.000000
 Frame Delay Variation : 5.000000

Service5 LAYER

Layer : UDP

Service5 VLAN Tag

VLAN Enable : 0
 C-Tag Type : 81-00
 C-Tag ID : 0
 C-Tag Priority : 0
 S-Tag Type : 88-a8
 S-Tag ID : 0
 S-Tag Priority : 0

Service5 UDP

UDP Source Port : 10500
 UDP Destination Port : 20500
 UDP Checksum : 1
 UDP Checksum Value : 00-00

Service5 BW Profile

CIR : 10.000000
 EIR : 12.000000
 Traffic Policing Rate : 15.000000

Service5 SAC Parameters

Frame Loss Ratio : 1.000000
 Frame Transfer Delay : 5.000000
 Frame Delay Variation : 5.000000

Service6 LAYER

Layer : UDP

Service6 VLAN Tag

Colour Aware Enabled : Disabled
 Colour Method :
 Green frames :
 Yellow Frames :

Service6 FRAME SIZE

Frame Size Type : Fixed
 Frame Size : 512

Service6 MAC

Destination MAC Address : 00-21-c2-00-00-06
 Source MAC Address : 00-21-c2-00-03-fd
 Length /Type : 08-00

Service6 IP

Source IP Address : 192.168.1.106
 Destination IP Address : 192.168.1.206
 IPv4TOS/DS : 6
 IPv4TTL : 128
 IPv4Protocol : 17
 IPv4Header Checksum : 1
 IPv4Header Checksum Value : 00-00
 IPv4Identification : 1
 IPv4Identification Value : 00-00

Service6 PAY LOAD

Payload : 12-34

Service6 Colour Aware

Colour Aware Enabled : Disabled
 Colour Method :
 Green frames :
 Yellow Frames :

Service7 FRAME SIZE

Frame Size Type : Fixed
 Frame Size : 512

Service7 MAC

Destination MAC Address : 00-21-c2-00-00-07
 Source MAC Address : 00-21-c2-00-03-fd
 Length /Type : 08-00

Service7 IP

Source IP Address : 192.168.1.107
 Destination IP Address : 192.168.1.207
 IPv4TOS/DS : 7
 IPv4TTL : 128
 IPv4Protocol : 17
 IPv4Header Checksum : 1
 IPv4Header Checksum Value : 00-00
 IPv4Identification : 1
 IPv4Identification Value : 00-00

Service7 PAY LOAD

Payload : 12-34

Service7 Colour Aware

Colour Aware Enabled : Disabled
 Colour Method :
 Green frames :
 Yellow Frames :

Service8 FRAME SIZE

Frame Size Type : Fixed
 Frame Size : 512

Service8 MAC

Destination MAC Address : 00-21-c2-00-00-08
 Source MAC Address : 00-21-c2-00-03-fd
 Length /Type : 08-00

Service8 IP

VLAN Enable : 0
 C-Tag Type : 81-00
 C-Tag ID : 0
 C-Tag Priority : 0
 S-Tag Type : 88-a8
 S-Tag ID : 0
 S-Tag Priority : 0

Service6 UDP

UDP Source Port : 10600
 UDP Destination Port : 20600
 UDP Checksum : 1
 UDP Checksum Value : 00-00

Service6 BW Profile

CIR : 10.000000
 EIR : 12.000000
 Traffic Policing Rate : 15.000000

Service6 SAC Parameters

Frame Loss Ratio : 1.000000
 Frame Transfer Delay : 5.000000
 Frame Delay Variation : 5.000000

Service7 LAYER

Layer : UDP

Service7 VLAN Tag

VLAN Enable : 0
 C-Tag Type : 81-00
 C-Tag ID : 0
 C-Tag Priority : 0
 S-Tag Type : 88-a8
 S-Tag ID : 0
 S-Tag Priority : 0

Service7 UDP

UDP Source Port : 10700
 UDP Destination Port : 20700
 UDP Checksum : 1
 UDP Checksum Value : 00-00

Service7 BW Profile

CIR : 10.000000
 EIR : 12.000000
 Traffic Policing Rate : 15.000000

Service7 SAC Parameters

Frame Loss Ratio : 1.000000
 Frame Transfer Delay : 5.000000
 Frame Delay Variation : 5.000000

Service8 LAYER

Layer : UDP

Service8 VLAN Tag

VLAN Enable : 0
 C-Tag Type : 81-00
 C-Tag ID : 0
 C-Tag Priority : 0
 S-Tag Type : 88-a8
 S-Tag ID : 0
 S-Tag Priority : 0

Service8 UDP

UDP Source Port : 10800
 UDP Destination Port : 20800
 UDP Checksum : 1
 UDP Checksum Value : 00-00

Service8 BW Profile

CIR : 10.000000
 EIR : 12.000000
 Traffic Policing Rate : 15.000000

Source IP Address : 192.168.1.108
 Destination IP Address : 192.168.1.208
 IPv4TOS/DS : 8
 IPv4TTL : 128
 IPv4Protocol : 17
 IPv4Header Checksum : 1
 IPv4Header Checksum Value : 00-00
 IPv4Identification : 1
 IPv4Identification Value : 00-00

Service8 PAY LOAD

Payload : 12-34

Service8 Colour Aware

Colour Aware Enabled : Disabled
 Colour Method :
 Green frames :
 Yellow Frames :

Service9 FRAME SIZE

Frame Size Type : Fixed
 Frame Size : 512

Service9 MAC

Destination MAC Address : 00-21-c2-00-00-09
 Source MAC Address : 00-21-c2-00-03-fd
 Length /Type : 08-00

Service9 IP

Source IP Address : 192.168.1.109
 Destination IP Address : 192.168.1.209
 IPv4TOS/DS : 9
 IPv4TTL : 128
 IPv4Protocol : 17
 IPv4Header Checksum : 1
 IPv4Header Checksum Value : 00-00
 IPv4Identification : 1
 IPv4Identification Value : 00-00

Service9 PAY LOAD

Payload : 12-34

Service9 Colour Aware

Colour Aware Enabled : Disabled
 Colour Method :
 Green frames :
 Yellow Frames :

Service10 FRAME SIZE

Frame Size Type : Fixed
 Frame Size : 512

Service10 MAC

Destination MAC Address : 00-21-c2-00-00-0a
 Source MAC Address : 00-21-c2-00-03-fd
 Length /Type : 08-00

Service10 IP

Source IP Address : 192.168.1.110
 Destination IP Address : 192.168.1.210
 IPv4TOS/DS : 10
 IPv4TTL : 128
 IPv4Protocol : 17
 IPv4Header Checksum : 1
 IPv4Header Checksum Value : 00-00
 IPv4Identification : 1
 IPv4Identification Value : 00-00

Service10 PAY LOAD

Payload : 12-34

Service10 Colour Aware

Service8 SAC Parameters

Frame Loss Ratio : 1.000000
 Frame Transfer Delay : 5.000000
 Frame Delay Variation : 5.000000

Service9 LAYER

Layer : UDP

Service9 VLAN Tag

VLAN Enable : 0
 C-Tag Type : 81-00
 C-Tag ID : 0
 C-Tag Priority : 0
 S-Tag Type : 88-a8
 S-Tag ID : 0
 S-Tag Priority : 0

Service9 UDP

UDP Source Port : 10900
 UDP Destination Port : 20900
 UDP Checksum : 1
 UDP Checksum Value : 00-00

Service9 BW Profile

CIR : 10.000000
 EIR : 12.000000
 Traffic Policing Rate : 15.000000

Service9 SAC Parameters

Frame Loss Ratio : 1.000000
 Frame Transfer Delay : 5.000000
 Frame Delay Variation : 5.000000

Service10 LAYER

Layer : UDP

Service10 VLAN Tag

VLAN Enable : 0
 C-Tag Type : 81-00
 C-Tag ID : 0
 C-Tag Priority : 0
 S-Tag Type : 88-a8
 S-Tag ID : 0
 S-Tag Priority : 0

Service10 UDP

UDP Source Port : 11000
 UDP Destination Port : 21000
 UDP Checksum : 1
 UDP Checksum Value : 00-00

Service10 BW Profile

CIR : 10.000000
 EIR : 12.000000
 Traffic Policing Rate : 15.000000

Service10 SAC Parameters

Frame Loss Ratio : 1.000000
 Frame Transfer Delay : 5.000000
 Frame Delay Variation : 5.000000

Service11 LAYER

Layer : UDP

Service11 VLAN Tag

VLAN Enable : 0
 C-Tag Type : 81-00
 C-Tag ID : 0
 C-Tag Priority : 0
 S-Tag Type : 88-a8
 S-Tag ID : 0
 S-Tag Priority : 0

Service11 UDP

Colour Aware Enabled : Disabled
 Colour Method :
 Green frames :
 Yellow Frames :

Service11 FRAME SIZE

Frame Size Type : Fixed
 Frame Size : 512

Service11 MAC

Destination MAC Address : 00-21-c2-00-00-0b
 Source MAC Address : 00-21-c2-00-03-fd
 Length /Type : 08-00

Service11 IP

Source IP Address : 192.168.1.111
 Destination IP Address : 192.168.1.211
 IPv4TOS/DS : 11
 IPv4TTL : 128
 IPv4Protocol : 17
 IPv4Header Checksum : 1
 IPv4Header Checksum Value : 00-00
 IPv4Identification : 1
 IPv4Identification Value : 00-00

Service11 PAY LOAD

Payload : 12-34

Service11 Colour Aware

Colour Aware Enabled : Disabled
 Colour Method :
 Green frames :
 Yellow Frames :

Service12 FRAME SIZE

Frame Size Type : Fixed
 Frame Size : 512

Service12 MAC

Destination MAC Address : 00-21-c2-00-00-0c
 Source MAC Address : 00-21-c2-00-03-fd
 Length /Type : 08-00

Service12 IP

Source IP Address : 192.168.1.112
 Destination IP Address : 192.168.1.212
 IPv4TOS/DS : 12
 IPv4TTL : 128
 IPv4Protocol : 17
 IPv4Header Checksum : 1
 IPv4Header Checksum Value : 00-00
 IPv4Identification : 1
 IPv4Identification Value : 00-00

Service12 PAY LOAD

Payload : 12-34

Service12 Colour Aware

Colour Aware Enabled : Disabled
 Colour Method :
 Green frames :
 Yellow Frames :

UDP Source Port : 11100
 UDP Destination Port : 21100
 UDP Checksum : 1
 UDP Checksum Value : 00-00

Service11 BW Profile

CIR : 10.000000
 EIR : 12.000000
 Traffic Policing Rate : 15.000000

Service11 SAC Parameters

Frame Loss Ratio : 1.000000
 Frame Transfer Delay : 5.000000
 Frame Delay Variation : 5.000000

Service12 LAYER

Layer : UDP

Service12 VLAN Tag

VLAN Enable : 0
 C-Tag Type : 81-00
 C-Tag ID : 0
 C-Tag Priority : 0
 S-Tag Type : 88-a8
 S-Tag ID : 0
 S-Tag Priority : 0

Service12 UDP

UDP Source Port : 11200
 UDP Destination Port : 21200
 UDP Checksum : 1
 UDP Checksum Value : 00-00

Service12 BW Profile

CIR : 10.000000
 EIR : 12.000000
 Traffic Policing Rate : 15.000000

Service12 SAC Parameters

Frame Loss Ratio : 1.000000
 Frame Transfer Delay : 5.000000
 Frame Delay Variation : 5.000000